



Quality.

"We Set The Standard."

Duratuf® tempered safety glass



The Cw® story

Contractors Wardrobe® was founded in 1972 and began designing and manufacturing its own products in 1976. Since then, Cw® has continued to expand its product lines and develop some of the finest home improvement products found anywhere in the world.

Today, worldwide operations and state-of-the-art, vertically integrated manufacturing facilities are controlled from its 258,000 square foot corporate headquarters located in the Santa Clarita Valley, just north of Los Angeles, California.

Additional facilities and showrooms located in Sacramento, California; Las Vegas, Nevada; Tempe, Arizona and Pompano Beach, Florida; in total over 500,000 square feet, as well as a broad distribution throughout the United States, keep us poised to serve and supply the residential, commercial and hospitality industries with equal ease and service.



Cw® Corporate Office
26121 Avenue Hall, Valencia, CA 91355
Phone: 661.257.1177

Correspondence to:
P.O. Box 800790, Santa Clarita, CA 91380

Customer Service/Showroom:
26150 Technology Drive, Valencia, CA 91355

Other Locations:

Cw® Las Vegas
4190 West Teco Avenue
Las Vegas, NV 89118

Cw® Sacramento
8460 Rovana Circle
Sacramento, CA 95828

Cw® Tempe
655 West Elliot Road,
Suite 101
Tempe, AZ 85284

Cw® Pompano Beach
1780 N.W. 15th Avenue,
Suite 420
Pompano Beach, FL 33069

PRIN-2515-1119



Our products



Shower Enclosures



Duratuf® Glass



Painted Glass



Room Partitions



Cabinet Doors



Duralect® Mirror



Wardrobe Doors



Vanity Mirrors

Duratuf[®] tempered safety glass

General glass tolerances

Tolerances	Glass Thickness			
	Up to 5/16"	3/8"	1/2"	3/4"
Clean cut, swiped	+/- 1/16"	+/- 3/32"	+/- 1/8"	+/- 3/16"
Machine edge	+/- 1/16"	+/- 3/32"	+/- 1/4"	+/- 1/4"
Thickness	+/- 1/32"	+/- 1/32"	+/- 1/32"	+/- 1/32"

Weight

Thickness	Per lb. (per sq. ft.)
1/8"	1.63
3/16"	2.45
1/4"	3.20
5/16"	3.65

Thickness	Per lb. (per sq. ft.)
3/8"	5.05
1/2"	6.10
3/4"	9.60

Specifications on glass

All glass supplied is graded to conform to federal specifications DD-G-451D, dated 2-25-77.

Tempering specifications

- ANSI Z97.1-1984 safety glazing materials used in buildings.
- CSPC 16 CFR 1201 Consumer Product Safety Commission safety standard for architectural glazing materials.
- BOW and WARP Tolerances: chart available upon request
- ASTM C 1036-06 Standard specification for flat glass.
- ASTM C 1048kind: fully tempered coated and uncoated glass.
- GTA 66-20 Rev. #5 Specification for ceramic enameled spandrel glass.

Terms and conditions

- All glass sizes are calculated to the next even inch.
- 3 square foot minimum charge.
- Edge work is minimum 12" charge per side.
- Prices subject to change without notice.
- Available stock sheet glass size varies based on type of glass.
- Pattern tolerances vary based on the type of pattern received.

Textured/Tinted glass



Aquatex Available in 1/4"(6mm), 3/8"(10mm)



Bamboo Available in 5/32"(4mm), 1/4"(6mm), 3/8"(10mm)



Berman Aquif Available in 1/4"(6mm), 3/8"(10mm)



Berman Esto Available in 1/4"(6mm), 3/8"(10mm)



Berman Être Available in 1/4"(6mm), 3/8"(10mm)



Blue (Light) Available in 1/4"(6mm), 3/8"(10mm)



Blue (Medium) Available in 1/4"(6mm), 3/8"(10mm)



Blue (Dark) Available in 1/4"(6mm), 3/8"(10mm)



Bronze Available in 1/8"(3mm), 3/16"(5mm), 1/4"(6mm), 3/8"(10mm), 1/2"(13mm)



Bubbles Available in 1/8"(3mm), 7/32"(5.5mm), 3/8"(10mm)



Clear Available in 1/8"(3mm), 3/16"(5mm), 1/4"(6mm), 5/16"(5mm), 3/8"(10mm), 1/2"(13mm)



Crystal Clear™ Available in 3/16"(5mm), 1/4"(6mm), 3/8"(10mm), 1/2"(13mm)

Textured/Tinted glass



Glue Chip (Pattern)

Available in 1/8"(3mm), 3/16"(5mm), 1/4"(6mm), 3/8"(10mm)



Gray

Available in 1/8"(3mm), 3/16"(5mm), 1/4"(6mm), 3/8"(10mm), 1/2"(13mm)



Green

Available in 1/4"(6mm)



Mystique™

Available in 1/8"(3mm), 1/4"(6mm), 3/8"(10mm), 1/2"(10mm)



Mystique™ Crystal Clear™

Available in 1/8"(3mm), 1/4"(6mm), 3/8"(10mm), 1/2"(10mm)



Obscure

Available in 1/8"(3mm), 3/16"(5mm), 1/4"(6mm)



Peach

Available in 1/4"(6mm), 3/8"(10mm)



Radiance

Available in 1/8"(3mm)



Rain

Available in 1/8"(3mm), 3/16"(5mm), 1/4"(6mm), 3/8"(10mm)



Reed

Available in 5/32"(4mm), 3/16"(5mm), 1/4"(6mm)



Reflective Bronze

Available in 1/4"(6mm)



Reflective Gray

Available in 1/4"(6mm)

Textured/Tinted glass



Seedy (not available tempered)

Available in
1/8"(3mm)



NEW glass type



NEW glass type

Back painted glass options

With more than 3,500 Pantone® colors to choose from, Cw®'s comprehensive painted glass options allow you full control over the look and feel of your cabinet doors. Perfect for residential, commercial and institutional projects, these stylishly durable inserts provide color clarity, usability and versatility, while enabling you to add your personal touch to every room, every time.



Cabinet Door Reverse (CDR) pictured (right) in a Satin Clear finish with Mint Green back painted glass

Standard Pantone® color options

 1C Oyster	 197C Rose Blush	 1955C Merlot	 803C2X Neon Yellow	 123C Citrus	 144C Autumn Brown	 Snow White
 375C Chartreuse Green	 361C Lime Green	 341C Dark Green	 331C Mint Green	 326C Teal Blue	 322C Sea Green	 185C Flame Red
 251C Purple	 2655C Lilac	 526C Royal Purple	 292C Colonial Blue	 428C Gray Sky	 877C Silver	 2C2X Midnight Black
 1205C Pastel Yellow	 148C Cream	 719C Sand Brown	 722C Sand Stone	 876C Copper	 4625C Chocolate	

Printed finishes vary from actual finishes and are for representation only.

Over 3,500 Pantone® colors to choose from

PRIN-2515-1119



Duratuf® tempered safety glass



Quality.

"We Set The Standard."



Made in USA

**Shower Enclosures • Duratuf® Tempered Safety Glass • Painted Glass
 CwShield™ Protective Coating • Room Partitions and Loft Dividers
 Cabinet Doors • Duraflect® Copper-Free Mirror • Wardrobe Doors**



PRIN-2515-0919